

INDEX MAPS.

T. 29N, R. 5 E. 2nd Mer.

Meanders 51

	7	6	6	6	5	5						
9	6	50	5	39	4	32	3	24	2	16	1	5
	49		49		39		31		23		15	
9	7	48	8	38	9	30	10	23	11	15	12	4
	47		47		37		29		22		14	
8	18	46	17	36	16	29	15	21	14	13	13	4
	45		45		35		28		21		12	
8	19	44	20	35	21	27	22	20	23	12	24	3
	43		43		34		27		19		11	
7	30	42	29	34	28	26	27	18	26	11	25	3
	41		41		33		25		18		10	
7	31	40	32	32	33	25	34	17	35	9	36	3
	2		2		2		1		1		1	

Meanders 57

T. 30N, R. 5 E. 2nd Mer.

	64		63		63		62		62		62	
66	6	86	5	80	4	77	3	73	2	70	1	61
	86		85		80		77		73		69	
66	7	85	8	80	9	76	10	73	11	69	12	60
	85		84		80		76		72		69	
65	18	84	17	79	16	76	15	72	14	68	13	60
	83		83		79		75		72		68	
65	19	83	20	79	21	75	22	71	23	68	24	60
	82		82		78		75		71		67	
65	30	82	29	78	28	74	27	71	26	67	25	59
	81		81		78		74		70		67	
64	31	81	32	77	33	74	34	70	35	66	36	59
	58		58		58		57		57		57	

Alcandora 88

Meanders 58

The figures on the lines refer to the page.

57

Township N^o 30 North of Range N^o 5 East of the 2nd Mer. Indiana

South Boundary

- Note On South Boundary of Sec 36. Var. 5.40' 8
- 31.75 A Hickory 8 in. diam.
- 4000 Set a g^r. Sec post. from which
an Elm 10 in. diam. bears N 71 E 17 links dist, &
a W Oak 15 " " " N 85 1/2 W 47 " "
- 59 50 A Brook 30 links wide. Course S E.
- 80.00 Set a Post Corner to Sec. 35 & 36. from which
a W. Oak 17 in. diam. bears N 52 1/2 E 26 links dist, &
a Do 10 " " " N 1 1/2 W 30 " "
- Land rolling and 2nd rate thinly timbered with
Oak, & Hickory.

- Note On South Boundary of Sec 35.
- 15 00 a small Pond of about 3/4 of a mile in circumference
Should judge Pond North of the line. May 8. chains
- 20 41 A B Ash 11 in. diam.
- 40 00 Set a g^r. Sec post. from which
a W. Oak 9 in. diam. bears N. 54 W. 2.75 the dist, &
a Do 10 " " " N. 87 1/2 W 6.34 " "
- 80.00 Set a Post Corner to Sec. 34 & 35. from which
a W. Oak 12 in. diam. bears N. 20 E 44 links dist, &
a W. Oak 18 " " " N 40 W 33 " "
- Land gently rolling & 2nd rate timber. Oak. and
Hickory.

- Note On South Boundary of Sec 34.
- 25 00 A Trail. Course N. W
- 31 15 A W. Oak 10 in. diam.
- 40 00 Set a g^r. Sec post. from which
a W. Oak 7 in. diam. bears N. 84 E 44 links dist, &
a Do 7 " " " N. 62 W. 10 " "
- 43 00 Enter Mt Prairie
- 46 00 A Spring a few links South of line.
- 65.00 Left Prairie
- 72 15 A B Oak 30 in. diam.

Twp N. R 5 E 2nd Mer. Indiana

30.00 Set a Post Corner to Sec? 33 & 34. from which
a W Oak 11 in. diam. bears N 17 $\frac{1}{2}$ E. 1.41 the dist. &
a Do 18 " " " N 73 W 49 " "
Land is much the same.

West On South Boundary of Sec. 33.
40.00 Set a gr. Sec. post. from which
a W Oak 8 in. diam. bears N 81 $\frac{1}{2}$ E 1.00 links dist. &
a Do 20 " " " N. 88 W. 95 " "
58.00 Enter West Prairie
61.00 A Brook 10 links wide. Course South
78.50 Left Prairie. a fine Spring Course S E.
80.00 Set a Post Cor to Sec? 32 & 33 from which
a W Oak 12 in. diam. bears N 31 E 1.10 links dist. &
a Do 34 " " " N. 20 $\frac{1}{2}$ W. 91 " "
Land rather broken and 2nd rate. Timber.
Oak & Hickory.

West On South Boundary of Sec 32.
23.47 A W Oak 9 in. diam.
40.00 Set a gr. Sec post. from which
a W Oak 14 in. diam. bears N 70 $\frac{1}{2}$ E 71 $\frac{1}{2}$ links dist. &
a Do 15 " " " N 79 W. 27 " "
08.90 A W Oak 9 " "
80.00 Set a Post Corner to Sec? 31 & 32. from which
a Hickory 10 in. diam. bears N 57 E 17 links dist. &
a W Oak 10 " " " N 54 $\frac{1}{2}$ W 84 " "
Land level & 1st rate. Timber. Oak. & Hickory.

West On South Boundary of Sec 31.
40.00 Set a gr. Sec post from which
a Maple 4 in. diam. bears S. 68 E. 4 links dist. &
an Aspin 4 " " " N. 64 E 98 " "
68.70 Intersect West Boundary 8.57 links South of
Temp^y Post.
Set Temp Corner from which

T 30. N. R 5 E 2nd Mer. Indiana

59

W. Oak 10 in. diam. bears N. 77 W. 180 links dist. &
 a Do 10 " " " S. 53 W. 382 " "
 Land &c much same.

East Boundary

North On East Boundary of Sec. 30. Var. 5° 10' E
 2 50 Enter Marsh
 9 50 Leave same
 26 04 A Hickory 8 in. diam.
 40. 07 Set a gp. Sec. post from which
 a W. Oak 14 in. diam. bears N 88 W 91 links dist. &
 a Do 11 " " " N 17 W 70 " "
 54. 14 A W. Oak 18 " "
 67. 50 A Pond mostly West of line
 (East 5 chains
 { North 9 "
 West 5 " back to the line
 77 07 Fill in with line
 80 07 Set a Post Corner to Sec. 25 & 36. from which
 a B. Oak 20 in. diam. bears S. 45 W 11 links dist. &
 a Do 22 " " " N 45 W 20 " "
 Land rolling & 2nd rate. Thinly timbered with
 Oak & Hickory. Around Pond Marshy.

North On East Boundary of Sec. 25.
 22. 47 A B Oak 10 in. diam.
 40. 07 Set a gp. Sec post from which
 a W. Oak 17 in. diam. bears N. 45 W 18 links dist. &
 a Do 18 " " " S. 60 W 18 " "
 54. 07 A Brook 3 links wide Course N W.
 58. 05 A W. Ash 16 in. diam.
 70. 57 Another Run 2 links wide. Course S. W.
 80 07 Set a Post Corner to Sec. 24 & 25. from which
 a Buck 8 in. diam. bears S. 110 W 81 links dist. &
 a Do 7 " " " N. 48 W 32 " "
 Land rolling. S. 1/2 2nd rate Oak. North 1/2 1st rate.

To. N. P. 5 E 2nd Mer. Indiana

Timber. Oak. Ash. Elm & Buck.

North On East Boundary of Sec 24.
 5.50 A Brook 2 links wide. Course West.
 14.16 A Sugar 8 in. diam.
 27.00 An Elm 14 " "
 28.50 Another Brook 2 links wide. Course West
 40.00 Set a post from which
 a B. Oak 18 in. diam. bears S 49 $\frac{1}{2}$ W 39 links dist &
 a Buck 5 " " " N 16 W. 9 " "
 49.70 A W Oak 10 " "
 52.50 A Brook 4 links wide. Cr. S W
 67.40 A Buck 18 in. diam.
 80.00 Set a Post Corner to Secs 13 & 24 from which
 a White Wood 20 in. diam. bears S 26 $\frac{1}{2}$ W 68 links dist
 & a B. Oak 4 " " " N 11 W. 29 " "
 Land rolling & 1st rate. Timber. Oak. Ash.
 Elm. Linn. & White wood. Underg^d same.

North On East Boundary of Sec 13.
 3.25 A Brook 2 links wide. Course S W
 25.00 A W Ash 26 in. diam.
 40.00 Set a post from which
 a Sugar 6 in. diam. bears S 26 W 20 links dist &
 a Buck 20 " " " N. 79 W. 28 " "
 58.88 A W Ash 8 " "
 63.00 Enter Miller Swamp. - 68.00 Leave Swamp
 80.00 Set a Post Corner to Secs 12 & 13 from which
 an Elm 15 in. diam. bears S 20 W 22 links dist &
 a Blue Ash 7 " " " N 36 $\frac{1}{2}$ W 43 " "
 Land & same

North On East Boundary of Sec 12.
 21.00 A Brook 2 links wide. Course S W
 22.44 A Blue Ash 8 in. diam.
 36.00 Another Run 2 links wide. Course S. W

T30 N. R 5 E. 2nd Mer. Indiana

01

- 40.00 Set a gr. dec. post from which
a W Oak 8 in. diam. bears S 40 $\frac{1}{2}$ W. 17 links dist. &
an Ironwood 6 in. " " N 17 W. 40 " "
- 56.85 A W Oak 8 in. diam.
- 78.50 To Sluggish Stream 70 links wide. Course S W.
- 80.00 Set a Post Corner to Sec. 1 & 2. from which.
a Sycamore 12 in. diam. bears S 10 W 33 links dist. &
an Elm 8 " " " S 6 $\frac{1}{2}$ W 103 " "
Land is much the same. Marshy on border of Stream

- North On East Boundary of Sec. 1.
- 14.00 Enter Marsh
- 18.00 South Margin of small Pond.
Offset West 7.00
" North 9.00
" East 7.00 Reduced Offset.
- 27.00 Fell into line on the North side of Pond.
- 30.00 Leave Marsh & Enter grove of Timber.
- 40.00 Set a gr. dec. post from which.
an Elm 9 in. diam. bears S 84 E 32 links dist. &
a Do 11 " " " S 26 $\frac{1}{2}$ E. 35 " "
- 40.50 Re-Enter Marsh
- 44.83 Intersect the South Margin of Lake
Set a Post from which.
an Aspen 10 in. diam. bears S 2 $\frac{1}{2}$ E 4.77 links dist. &
a Do 7 " " " S 1 $\frac{1}{4}$ W. 5.10 " "
Offset West 8.00.
" North 13.67
" East 8.00 Reduced Offset.
- 58.50 Fell into line on the North side of Lake.
Set a Post from which
a W Oak 12 in. diam. bears N 1 $\frac{1}{2}$ W 4.53 links dist. &
a Do 14 " " " N 28 $\frac{1}{4}$ W 3.64 " "
- 64.00 Left the Marsh
- 80.00 Set a Temp. Post - Land level and generally poor.
Timber. Very thin. Oak Ash & Syc. Elm.

T 30 N. R 5 E 2nd Mer. Indiana

North Boundary Var. 540' 6"

- West On South Boundary of Sec 30. T 30 N. R 5 E.
 21.81 A W Oak 20 in. diam.
 110.00 Set a gr. Sec post from which
 an Elm 10 in. diam. bears N 49 W 29 links dist &
 a Do 12 " " " N. 42 E. 58 " "
 61.17 An Elm 12 " "
 80.00 Set a Post Corner to Sec. 35 & 30 from which
 a B. Walnut 14 in. diam. bears N 63 E. 202 lks dist &
 a W Oak 18 " " " N 61 W. 91 " "
 Land level & 2nd rate. Thinly timbered with Oak
 Ash & Elm. Undergr. Hickory. Ironwood & Ash

- West On South Boundary of Sec 35. T 30 N. R 5 E.
 18.01 A W Oak 10 in. diam.
 30.50 Enter Mt Prairie
 140.00 Set a gr. Sec post in Prairie from which
 a W Oak 12 in. diam. bears N. 89 E. 3.71 links dist &
 a Lynn 14 " " " N. 88 W. 22 90 " "
 51.00 Leave Mt Prairie
 80.00 Set a Post Corner to Sec. 34 & 35. from which
 a Y. Oak 8 in. diam. bears N. 81 E. 13 links dist &
 a W. Oak 12 " " " N. 62 W. 30 " "
 Land level & 2nd rate Thinly timbered with Oak.

- West On South Boundary of Sec 34 T 30 N. R 5 E.
 * 110.00 Set a gr. Sec post. From which
 a W. Oak 10 in. diam. bears N 67 E. 272 links dist &
 a Do 18 " " " N 87 E. 3.12 " "
 48.00 A Stream 4 links wide. Course N E.
 48.50 Another Stream 6 lks wide " N E.
 60.00 Enter Mt Prairie
 80.00 Set a Post Corner to Sec. 33 & 34 in Mt Prairie
 from which
 a W. Oak 12 in. diam. bears N. 33. E. 3.88 lks dist &
 a Do 16 " " " N 2 1/2 W 445 " "

T. 30. N. R. 5. E. 2nd Mer. Indiana

63

* Note Land & Timber much as before.
Opposite 10 chains or there about South from gr. Sec Corner, is a small Lake. Should think it half a mile in circumference.

West On South Boundary of Sec 33 & 31. N. R. 5 E
8 50 Intersect the East Side of a Lake. Set Post from which
a Tamarac 6 in. diam. bears S. 52 E 7.63 links dist
& a W. Oak 12 " " " N 62 E 9.48 " "
Offset North 5.00
" West 13.00
" South 5.00 Reduced Offset
21 50 Fall into line on the West side of Lake.
Set a Post from which a
Burr Oak 10 in. diam. bears N 38 W. 2.22 links dist
& a Lym 10 " " " S. 70 W 2.33 " "
28 78 A Hickory 8 " "
40.00 Set a gr. Sec post from which
a Hickory 8 in. diam. bears N 65 E 18 links dist &
a Beech 18 " " " N 36 W 86 " "
57.50 A W Oak 15 " "
64.00 A Muddy Stream 6 links wide Course N. E.
80.00 Set a Post corner to Sec. 32 & 33 from which
a B. Oak 10 in. diam. bears N. 4 W. 8 links dist &
a W Oak 10 " " " N. 56 E 46 " "
Land level & 2nd note West of Lake. Oak Ash & Lym.
Thick Undergrowth of Aspin. Ironwood Hazzle & Grape vines
There is a Lake just North of line. Should think
about 1 mile in circumference.

West On South Boundary of Sec 32. T. 31. N. R. 5 E.
0. 50 Enter Marsh
20.00 Leave same
27.23 A Hickory 10 in. diam.
40 00 Set a gr. Sec post from which
an Ironwood 10 in. diam. bears N 56 W 27 links dist &

T30 N. R. 5 E 2nd Mer. Indiana.

Buck 8 in. diam. bears N 30¹/₂ E 25 links dist
 58.71 A White Wood 30 in. diam.
 80.00 Set a Post Corner to Sec. 31 & 32. from which
 an Ironwood 6 in. diam. bears N 35 W 5 links dist &
 a Buck 12 " " " N. 30 E 35 " "
 Land level. & West of Marsh 1st rate. Timber. Oak
 Ash. Elm. Lymn. Sugar. &c. Underg^t. same.

West On South Boundary of Sec 31. T 31. N. R. 5 E.
 23.71 A Buck 8 in. diam.
 40.00 Set a q^r. Sec post. from which
 a Sugar 20 in. diam. bears N 87 E 36 links dist &
 a Do 15 " " " N. 17 W. 31 " "
 58.23 A Sugar 10 " "
 62.40 Intersect Range line 3 mi. & 78 links North of
 Temp^l Sec Corner.
 Set a Post. from which
 a Buck 10 in. diam. bears N. 43 W. 23 links dist &
 a Do 10 " " " S 43 E 33 " "
 Land gently rolling & 1st rate. Timber. Sugar
 Ash. Buck. Elm. Lymn. White Wood &c.
 Underg^t. Ironwood. Buck. P. Ash &c.

West Boundary. Var. 5¹/₂ E
 North On East Boundary of Sec 36 T 30 N. R. 4 E.
 17.95 A Red Oak 18 in. diam.
 40.00 Set a q^r. Sec post. from which
 a W. Ash 12 in. diam. bears S 40 W 19 links dist &
 an Elm 20 " " " N 13 W 11 " "
 70.15 A W. Oak 28 " "
 80.00 Set a Post. Corner to Sec. 25 & 36. from which
 a B Oak 7 in. diam. bears S. 53 W. 43 lks. dist &
 an Ironwood 6 " " " N. 30 W. 46 " "
 Land gently rolling & 1st rate. Timber. Oak. Ash
 Elm. Hickory. Ironwood & Lymn. Underg^t.
 Sapras. Briers. & Grape Vines.

65

T 30 N. R 5 E 2nd Mer. Indiana.

North On East Boundary of Sec 25 T 30 N. R 4 E
 13. 14 A Sugar 8 in. diam.
 40. 00 Set a q. Sec post from which
 a W. Oak 6 in. diam. bears S 52 W 31 links dist. &
 a Do 7 " " " N 45 W 40 " "
 83. 07 A W Oak 30 in. diam.
 84. 00 Set a Post Corner to Sec. 24 & 25. from which
 a W. Oak 6 in. diam. bears S 28 W 23 links dist. &
 a Do 10 " " " N 82 W 31 " "
 Land &c same.

North On East Boundary of Sec 24 T 30 N. R 4 E.
 17 47 A Sugar 14 in. diam.
 40. 00 Set a q. Sec post from which
 A B Ash 8 in. diam. bears S 35 W 36 links dist. &
 a Sugar 20 " " " N 58 W 20 " "
 60 97 A Do 18 " "
 80 00 Set a Post Corner to Sec. 13 & 24 from which
 a Beech 20 in. diam. bears S 53 W 57 links dist. &
 a Maple 12 " " " N. 34 W 49 " "
 Land rolling & 1st rate Timber. Oak. Ash. Sugar.
 Maple &c. N. & thick growth of small. Beech Ash
 Linn. &c.

North On East Boundary of Sec 13 T 30 N. R. 4 E.
 15. 97 A Sugar. 16 in. diam.
 40. 00 Set a q. Sec post from which
 a W. Ash 6 in. diam. bears S 66 W. 33 links dist. &
 an Ironwood. 4 in. " " N. 60 W 18 " "
 44. 75 A sluggish stream 8 links wide. Course N W.
 59. 27 A Beech 8 in. diam.
 80. 00 Set a Post Corner to Sec. 12 & 13 from which
 a Beech in. diam. bears S 47 W. 22 links dist. &
 a Do 10 " " " N. 35 W. 67 " "
 Land rolling 1st rate Timber. Beech Ash.
 Elm. Linn. &c. Undergnd same.

T. 30 N. R. 5 E 2nd Mer. Indiana

North On East Boundary of Sec 12 T 30 N. R. 4 E
 16 45 A Sycamore 30 in diam.
 40.00 Set a gp. Sec post. from which
 a Buck 10 in. diam. bears S 54 N 22 links dist &
 an Ironwood 6 in " " N 31 1/2 W 37 " "
 54.24 A Buck 8 " "
 80.00 Set a Post Corner to Sec. 1 N 12. from which
 a Buck 9 in. diam. bears S. 77 W 22 links dist &
 an Elm 10 " " " N. 24 W. 30 " "
 Land &c. same.

North On East Boundary of Sec 1. T 30 N. R. 4 E
 18.19 A Buck 6 in. diam.
 40.00 Set a gp. Sec post. from which
 a W. Ash 14 in. diam. bears S. 5 1/2 W 137 links dist
 & a Gum 9 " " " N 35 W 35 " "
 63.30 A Buck 12 " "
 80 00 Imp. 3rd Town Corner.
 Land &c. same as last mile
 Oct 4th 1833.

Comp.

Surveyed by
Sylvester Libbey J. C.

	Subdivisions	var. 5.10.6
North	Between Sec. 35 & 36	July 2 nd 1834
10. 61	A W. Oak 34 in diam.	
17. 70	A Brook 20 links wide Course S E.	
38. 50	A Do 20 " " " S W.	
40. 00	Set a gp. Sec post. from which a Mallon 8 in. diam. bears S. 3 W 1.50 links dist & a Do 7 " " " N. 3 E. 800 " "	
49 00	A Brook 20 links wide. Course S E.	
60. 00	Do 20 " " " S W.	
80. 00	Set a Post Corner to Sec. 25 26 35 & 36 from which a Hickory 17 in. diam. bears N 77 E. 42 links dist & a Do 20 " " " N 5 E 80 " "	
	Prairie along Creek Bottom.	

T 30 N. R 5 E 2nd Mer. Indiana.

67

East On Random between Secs 25 & 30.

17. 00 A Branch 20 links wide. Course S W

79. 73 Intersect the East Boundary 10 links S. of the Post
Prairie & Barrens interspersed.
A Small Lake or Pond 500. S W. from the Corner.

West Corrected between Secs 25 & 30

11. 30 A W Oak 12 in. diam.

39 86 1/2 Sec a q. Sec post at aver. dist. from which
a W Oak 10 in. diam. bears E. 5.28 links dist. &
a Do 12 " " " S. 8.1 W 2.40 " "

79.73 to the Corner.

North Between Secs 25 & 26.

12 00 A W Oak 36 in. diam.

16 00 Sec a q. Sec post. from which
a W. Oak 18 in. diam. bears S 28 E 25 links dist. &
a Do 13 " " " N 16 E 56 " "

65 48 A W. Oak 36 " "

80 00 Sec a Post Corner to Secs 23. 24. 25 & 26. from which
a W. Oak 8 in. diam. bears N. 56 W 11 links dist. &
a Do 8 " " " S. 88 E 36 " "
Barrens.

East On Random between Secs 24 & 25.

62 00 A Branch 25 links wide. Course S W

80 00 Intersect the N & S line or E. Boundary 83 lks South
of the Post.

Land rolling and good 2nd rate. Timber heavy.
Thick Undergrowth of Ironwood. Sugar Hickory &c.
July 2nd 1854.

West Corrected between Secs 24 & 25.

13. 70 A W Oak 28 in. diam.

40. 00 Sec a q. Sec post. from which
a Hickory 30 in. diam. bears S. 41 W 30 links dist. &

T. 30. N. R. 5. E. 2nd Mer. Indiana.

50 00 an Ironwood 6 in. diam. bears N 54 E 15 links dist.
To Sec Corner.

North Between Sec. 23 & 24.

19 80 A W. Oak 30 in. diam.

40 00 Set a 9th Sec post. from which

a W. Oak 30 in. diam. bears S. 3 E. 33 links dist. &

a Do 14 " " " N. 10 E 46 " "

59.75 A W. Oak 24 " "

80.00 Set a Post Corner to Sec. 13 14 23 & 24 from which

a W. Oak 24 in. diam. bears S. 2 W 280 links dist. &

a Do 22 " " " N 1 1/2 W. 5.29 " "

Barrens

Quab On Random between Sec. 13 & 24.

50.00 A Brook 25 links wide. Course S. E.

79.60 Intersect N & S line at Post.

Barrens West of the Creek. East Long Brushy.

West Corrected between Sec. 13 & 24.

19.70 A Poplar 20 in. diam.

39.50 Set a 9th Sec post at aver. dist. from which

a W. Oak 10 in. diam. bears S. 84 E. 31 links dist. &

a Do 19 " " " N. 78 W. 18 " "

59 50 A W. Ash 20 " "

79 50 To Sec Corner.

North Between Sec. 13 & 14.

10 00 A W. Oak 24 in. diam.

20 00 A Brook 15 links wide. Course S. E.

39 00 A Do 15 " " " S. 4 W.

40.00 Set a 9th Sec post. from which

a W. Oak 20 in. diam. bears N. 13 W. 7 links dist. &

a W. Oak 10 " " " S. 25 W. 00 " "

74.20 A W. Oak 15 " "

80.00 Set a Post Corner to Sec. 11, 12, 13 & 14 from which

Comp^d

T 30 N. R 5 E. 2nd Mer. Indiana.

69

an Ash 12 in. diam. bears S. 39 W. 36 links dist. &
 a Buck 15 " " " N. 43 E. 32 " "
 Barrens interspersed with wet Prairie.
 Land quite rolling;

East On Random between Sec. 12 & 13
 48 50 A Branch 15 links wide. Course S W
 79.63 Intersect N & S line at Post.
 Land rolling and good 2nd rate. Timber. Beech
 Poplar. Sugar, Walnut, Oak, Elm &c. Underg^d
 Ash " Hickory, Ironwood &c

West Corrected between Sec. 12 & 13
 36.03 A Walnut 10 in. diam.
 39.81 1/2 Set a 9th Sec. post at aver. dist. from which
 a Walnut 10 in. diam. bears S. 49 W. 9 links dist. &
 a Hickory 11 " " " N. 68 E. 34 " "
 56.93 An Elm 18 " "
 79.03 To Sec Corner

North Between Sec. 11 & 12.
 6.70 A Brook 6 links wide Course S W.
 31 10 An Ash 12 in. diam.
 40.07 Set a 9th Sec. post. from which
 a Poplar 12 in. diam. bears N. 45 E. 4 links dist. &
 a Spruce 9 " " " S. 84 W. 4 " "
 49.05 A Poplar 15 " "
 50 07 Set a Post Corner to Sec. 1. 2. 11. & 12. from which
 an Ironwood 5 in. diam. bears N. 45 W. 16 links dist. &
 a Do 6 " " " S. 15 W. 32 " "
 Land rolling. South 1/2 good. North 1/2 ragged and
 Brushy Timber as before.

East On Random between Sec. 1 & 12.
 79.10 Intersect E. Boundary 56 links South of Post.
 Land & Timber as before

T30 N. R. 5 E. 2nd Mer. Indiana.

- West Corrected between Sec. 1 & 12.
 18.25 A Walnut 18 in. diam.
 - 39.50 Set a gr. sec. post. at aver. dist. from which
 a W. Oak 11 in. diam. bears S. 83 W. 0 links dist. &
 an R. Oak 13 " " " S. 80 E. 36 " "
 60.35 An Ash 12 " "
 74.10 To Sec. Corner.

- North Between Sec. 1 & 2
 9.50 A W. Oak 36 in. diam.
 40.00 Set a gr. sec. post. from which
 a W. Oak 18 in. diam. bears S. 89 E. 22 links dist. &
 a Poplar 20 " " " N. 44 W. 40 " "
 55.00 An Aspin 10 " "
 84.70 Intersect the North Boundary at Post.
 Set a Post Cor. to Sec. 1 & 12. from which
 a W. Oak 26 in. diam. bears S. 21 E. 36 links dist. &
 a Do. 24 " " " S. 43 N. 52 " "
 Land gently rolling. interspersed with swamps
 and small wet Prairies.

- North Between Sec. 34 & 35.
 19.90 A W. Oak 28 in. diam.
 40.00 Set a gr. sec. post. from which
 a W. Oak 12 in. diam. bears South 213 links dist. &
 a Do. 10 " " " N. 1 E. 7.85 " "
 64.76 A W. Oak 14 " "
 80.00 Set a Post Corner to Sec. 26, 27, 34 & 35 from which
 a W. Oak 30 in. diam. bears N. 73 E. 6.34 links dist. &
 a Do. 22 " " " S. 54 W. 4.37 " "
 Barrens. Timber. Oak & Hickory. no Undergrowth.
 some Prairie.

- East On Ranam between Sec. 26 & 35.
 56.10 A Brook 8 links wide. Course S.E.
 80.50 Intersect N & S line 12 links North of the Post

T 30 N. R. 5. E. 2nd Mer Indiana.

71

West Connected between Sec. 20 & 25.
 13.50 A W Oak 28 in. diam.
 110.25 Set a gp. Sec. post at aver. dist. from which
 a W Oak 30 in. diam. bears N 87° E 2.52 links dist. &
 a Do 18 " " " S. 70 E 1.97 " "
 65.61 A W Oak 15 " "
 80.50 To Sec. Corner. Barrens.

North Between Sec. 26 & 27
 14.93 A B Oak 12 in. diam.
 40.00 Set a gp. Sec. post. from which
 an Oak 12 in. diam. bears N. 53 W 18 links dist. &
 an B Oak 20 " " " S. 30 E 29 " "
 58.53 A W Oak 12 in. diam.
 80.00 Set a Post Corner to Sec. 20 27 22 & 23. from which
 a W Oak 18 in. diam. bears N. 37 W. 47 links dist. &
 a Do 24 " " " S 24 E 59 " "
 Barrens.

East On Random between Sec. 23 & 20
 80.40 Intersect A & S line 84 links North of the Post.
 Land & Timber as before.

West Connected between Sec. 23 & 20. July 3^d 1834
 40.20 Set a gp. Sec. post at aver. dist. from which
 a B Oak 18 in. diam. bears S 58 W 72 links dist. &
 a W Oak 12 " " " N. 69 E 1.20 " "
 71.40 A W Oak 20 " "
 80.40 To Sec. Corner.

North Between Sec. 22 & 20.
 19.40 A Hickory 14 in. diam.
 40.00 Set a gp. Sec. post. from which
 a Hickory 10 in. diam. bears N 81 E 22 links dist. &
 a Do 13 " " " N. 42 W. 35 " "
 59.62 A B Oak 24 in. diam.

T30 N. R 5 E 2nd Mer. Indiana.

80.00 Set a Post Corner to Secs. 14 15, 22, & 23 from which
an H Oak 10 in. diam. bears N 80 W 26 links dist &
a W Oak 10 " " " S 27 E 10 " "
High Rolling. Barrens

East On Random between Secs. 14 & 23.

80.25 Intersect N & S line. 234 links North of the Post.
Land & Timber same.

West Corrected between Secs. 14 & 23.

40 12 1/2 Set a q? Sec post at aver. dist from which
a W Oak 12 in. diam. bears N. 72 E 2.20 links dist &
a Do 10 " " " S. 89 W. 3.14 " "

83.05 A W Oak 10 " "

80 25 To Sec. Corner.

North Between Secs. 14 & 15.

9.20 A Cherry 12 in. diam.

9.75 Enter Prairie

23 00 A Brook 10 links wide. Course N & S.

39 00 Left Prairie

110 00 Set a q? Sec post from which
a W Oak 15 in. diam. bears S. 19 E. 33 links dist &
a Do 12 " " " N. 33 W. 17 " "

27.23 A W Oak 36 " "

50.00 Set a Post Corner to Secs. 10 11. 14 & 15. from which
an Aspen 8 in. diam. bears S 35 W 13 links dist &
an Ironwood 10 in. " " N. 42 E 14 " "
Barrens as before.

East On Random between Secs. 11 & 14.

80 10 Intersect the N & S line 2.94 links North of the Post.
Land 2nd rate. Timber. Buck Ash Oak. Poplar.
Underg. #. Sassafras & Hazel.

West Corrected between Secs. 11 & 14.

T 30 N. R. 5. E. 2nd Mer. Indiana.

73

26. 10 An Ash 15 in. diam.
 40 05 Set a q^r Sec. post at aver. dist^y from which
 a Poplar 24 in. diam. bears S. 83 E. 7 links dist^y &
 an Ash 14 " " " S. 82 W. 8 " "
 55. 14 An Ash 12 " "
 50. 10 To Sec. Corner.

- North Between Sec. 10 & 11.
 15. 00 An Ash 28 in. diam.
 40. 00 Set a q^r Sec. post. from which
 an Elm 18 in. diam. bears S. 71 E. 20 links dist^y &
 a Walnut 20 in. " " S. 17 W. 13 " "
 55. 50 A Hickory 24 " "
 50. 00 Set a Post. Corner to Sec. 2, 3, 10, & 11. from which
 an Elm 14 in. diam. bears S. 54 W. 10 links dist^y &
 a " 10 " " " S. 34 E. 10 " "
 Land 2nd rate. Timber. Oak. Hickory. Beech, &
 Undergth Hazel. Oak & Sapafra.

- East On Random between Sec. 2 & 11.
 50. 27 Intersect N. & S. line 1.22 links North of the Post.
 Land 2nd rate. Timber. Beech. Oak. Ash. Poplar
 Hickory. Hazel. Sapafra. &c.

- West Corrected between Sec. 2 & 11.
 20 27 A Hickory 12 in. diam.
 40 13¹/₂ Set a q^r Sec. post at aver. dist^y from which
 an Ash 30 in. diam. bears N. 55. E. 13 links dist^y &
 a Mulberry 12 " " " S. 10 E. 14 " "
 62 39 A Walnut 12 " "
 50 27 To Sec. Corner

- North Between Sec. 2 & 3.
 20. 08 A Ash 15 in. diam.
 40. 00 Set a q^r Sec. post from which a
 Ash 15 in. diam. bears S. 27 W. 33 links dist^y & a

T. 31. N. R. 5. E. 2nd Mer. Indiana.

52 07 R Oak 30 in. diam. bears N 49 W 36 links dist
 81 18 A W Oak 12 " "
 Intersect the North Boundary 2.60 links East of the
 Corner. where Set a Post Corner to Sec. 2 & 3. from
 which a Gum 20 in. diam. bears S 38 W 31 links dist &
 an Elm 18 " " " N 6 W 10 " "
 Ragged poor Land inclining to Barrens

North Between Sec. 33 & 34.
 40.00 Set a gr. Sec post from which
 a W Oak 22 in. diam. bears N 41 E 27 links dist &
 a D 18 " " " N. 29 W 25 " "
 44 40 A B Oak 22 " "
 47 00 Enter Tamarac Swamp.
 65 00 Left same course E & W.
 80.00 Set a Post Cor. to Sec. 27, 28, 33 & 34 from which
 an Elm 16 in. diam. bears East 80 links dist &
 a W Oak 10 " " North 2.17 " "
 This post in small Willow Swamp
 Barrens & Prairie

East On Random between Sec. 27 & 34.
 79.90 Intersect N. & S. line at Post
 Barrens of the most beautiful kind. though not rich

West Corrected between Sec. 27 & 34.
 22 50 A W Oak 45 in. diam.
 39.95 Set a gr. Sec. post at aver. dist from which
 a Hickory 18 in. diam. bears S 70 E 42 links dist &
 a B Oak 22 " " " N. 78 W 45 " "
 54.75 A W Oak 15 " "
 79.90 To Sec. Corner.

North Between Sec. 27 & 28.
 12 00 Enter Marshy Prairie
 40.00 Set a gr. Sec post from which (in Tamarac Swamp)

T. 30. N. R. 5. E. 2nd Mer Indiana.

75

Tamarac 7 in. diam. bears N. 20° E 7 links dist &
 a Do 5 " " " S 21 W 4 " "
 51.11 Set a Post Corner to Secs 21, 22, 27 & 28 from which
 a Tamarac 6 in. diam. bears N. 1. W. 9 links dist &
 a Do 6 " " " S 74 E 20 " "
 The North mile is intolerable. Rely on the
 Ranges to test the correctness of the measure.

East On Range between Secs 22 & 27.
 3.00 Left Tamarac Swamp.
 50.00 Intersect N & S line near the Post.
 High, pleasant. Rolling Oak Barrens.

West Corrected between Secs 22 & 27.
 19.18 A Hickory 14 in. diam.
 40.00 Set a q. Sec. post. from which
 a W Oak 12 in. diam. bears N. 81 W. 139 links dist &
 an Elm 12 " " " S 81 E 41 " "
 70.10 A Hickory 15 " "
 80.00 To Sec Corner July 4th. 1834.

North Between Secs 21 & 22.
 10.00 Left Tamarac Swamp & Enter opposite a small
 21.00 Lake. West of Barrens
 25.80 A W. Ash 18 in. diam.
 40.00 Set a q. Sec. post from which
 a Hickory 10 in. diam. bears S 1 E 42 links dist &
 a Do 11 " " " N 3 W 10 " "
 58.05 A W Oak 12 " "
 80.00 Set a Post Corner to Secs 15, 16, 21 & 22 from which
 a W Oak 10 in. diam. bears S 36 E 25 links dist &
 a Hickory 10 " " " N 2 W 12 " "

East On Range between Secs 15 & 22.
 79.70 Intersect N & S line at Post.
 Barrens.

T 30 N. R 5 E 2nd Mer. Indiana

West Corrected between Sec. 15 & 22.

15 72 A W Oak 12 in. diam.

39 88 Set a qz. Sec. post at aver. dist. from which
a W Oak 13 in. diam. bears N 14 E 6 links dist. &
a Do 12 " " " S 46 W 12 " "

63.04 A W Oak 12 " "

79.70 To Sec Corner.

North Between Sec. 15 & 16.

28.21 A W Oak 12 in. diam.

40.00 Set a qz. Sec. post. from which
a W Oak 26 in. diam. bears S 73 W 1.23 links dist. &
a Do 12 " " " N 1 E 195 " "

43.00 Enter Wet Prairie

73.00 Left same.

80.00 Set a Post Corner to Sec. 9 10 15 & 16. from which
a W Oak 22 in. diam. bears N 71 E 88 links dist. &
a Do 18 " " " S 40 E 85 " "

Barrens & Prairie

East On Random between Sec. 10 & 15.

26.00 Enter Prairie

44.00 Left same.

80.15 Intersect the N & S line 1.05 links North of the Post.
Barrens. Underg. Saparas. House & Grapevines

West Corrected between Sec. 10 & 15

40.07 Set a qz. Sec. post. from which
a W Oak 12 in. diam. bears N 87 E 3.98 links dist. &
an R. Oak 30 " " " West 15.37 " "

52.15 An R. Oak 28 " "

80.15 To Sec Corner.

North Between Sec. 9 & 10

15 50 A Hickory 12 in. diam. { W Oak 30 N 42 E 32 links dist.

40.00 Set a qz. Sec. post. from which { Do 12 S 1 W 44 " "

49.85 An Elm 13 in. diam.

77

T 30 N R 5 E 2nd Mer. Indiana

86 17 Set a Post Cor. to Sec. 3 & 4. 400 from which
 a W Oak 22 in. diam. bears N. 64 E 34 lbs dist. &
 an Oak 10 " " " S 41 W. 6 " "
 Land & Timber. same as last mile

East On Random between Sec. 3 & 10.
 80.28 Intersect N. & S line 83 links North. Land & Timber
 same as last mile

West Corrected between Sec. 3 & 10
 20 28 A W Oak 22 in. diam.
 40 14 Set a q. Sec. post at aver dist. from which
 a W Oak 28 in. diam. bears S 20 W 51 links dist. &
 a P. 20 " " " N 30 W 66 " "
 87.58 An Oak 14 " "
 80 28 To Sec. Corner.

North Between Sec. 3 & 4
 17.60 A W Oak 13 in. diam.
 21.50 Enter Prairie.
 40.00 Set a q. Sec. post from which
 a W Oak 24 in. diam. bears N. 72 W 1.77 links dist. &
 a Hickory 12 " " " S. 80 W 2.35 " "
 75.10 A brook 12 links wide. Course N E.
 82.00 Intersect the North Boundary 1.50 links East of the
 Post — Set a Post Corner to Sec. 3 & 4 from which
 a Gum tree 6 in. diam. bears S 44 W 322 links dist. &
 a Hickory 20 " " " S. 7 E. 10.94 " "

North Between Sec. 32 & 33
 20 34 A Brook 8 links wide. Course SE
 30 00 Enter West Prairie
 40 00 Set a q. Sec. post from which
 an Elm 18 in. diam. bears S. 1 W. 875 links dist. &
 a W Oak 28 " " " N 1 W 30 " "
 45 00 Left Prairie
 64.50 A W Oak 32 in. diam.

T 30 N. R 5 E 2nd Mer Indiana

50.00 Set a Post Corner to Sec. 28, 29, 32 & 33 from which
a Hickory 12 in. diam. bears N 75 W 15 links dist &
a Do 10 " " " S 88 E 13 " "
South 1/2 mile, rolling & rich. North 1/2 Barrens.

East On Random between Sec. 28 & 33.

80.10 Intersect N & S line 1.25 links South of the Post.
Land 2nd rate Barrens. Timber. Oak & Hickory.

West Corrected between Sec. 28 & 33.

17.00 A Hickory 12 in. diam.

40.05 Set a q. Sec post at aver dist from which
an H. Oak 30 in. diam. bears S. 6 W 22 links dist &
a W Oak 19 " " " N 6 W 75 " "

53.90 A Hickory 15 " "

80.10 To Sec Corner.

North Between Sec. 28 & 29.

15.50 A W. Oak 20 in. diam.

35.00 To South shore of small Lake x

40.00 Set a q. Sec post in Lake.

A W. Oak 36 South 7 from place of Corner

55.91 Commence line on North side of Lake x

00.43 A W. Oak 22 in. diam.

50.00 Set a Post Corner to Sec. 20 21, 28 & 29 from which
a W Oak 12 in. diam. bears N 88 W 10 links dist &
a Do 13 " " " N 3 W 14 " "
Land - Poor

East On Random between Sec. 21 & 28.

43.00 Enter Tamarac swamp.

81.00 Intersect N & S line 150 links E. of the Post.

West 1/2 mile is poor Barrens interspersed with
small strips of wet Prairie & Tamarac.

West Corrected between Sec. 21 & 28.

{ W. Oak 18 S 52 W 95
Do. 24 N 73 W 427

{ W. Oak 20 S 53 W 3 1/2
A. Oak 18 N 53 W 4 1/2

T 30 N. R 5 E. Graeter Indiana

79

40.50 Set a qz. Sec post from which
 a B Oak 24 in. diam. bears S 39 E 8 links dist. 8
 a W Oak 16 " " " S 5 W 28 " "
 19 04 A B Oak 30 " " July 5th 1834.
 81 00 To Sec. Corner.

North Between Secs. 20 & 21.
 16.70 A W Oak 15 in. diam.
 40.00 Set a qz. Sec post from which
 a W Oak 10 in. diam. bears S 18 W 11 links dist. 8
 a B Oak 10 " " " S 20 E 15 " "
 52.47 A B Oak 14 " "
 50.00 Set a Post Corner to Secs. 10, 17, 20 & 21 in Tamarac
 swamp about 13 chains.
 a Tamarac 10 in. diam. bears S 29 E 16 links dist.
 a Do 0 " " " S 28 W 18 " "
 Land Off. Bureau & Tamarac Swamp

East On ~~Prairie~~ between Secs. 10 & 21. { Tamarac No. 6 N 21 W 23
 No. 3 S 5 E 12
 11.00 Intersected a Lake + Post from the Corner of Sec.
 15 10 21 & 22. On the line between Secs. 10 & 21,
 West 18.40 A B Oak 20 in. diam.
 29 00 To Arm of Lake. — { Tamarac No. 5 N 35 W 33
 No. 4 N 61 E 50
 This Lake is surrounded with Tamarac Swamp
 except on the South side.

North Between Secs. 10 & 17.
 29 50 A Brook 15 links wide. Course S. 41.
 40.00 Set a qz. Sec post from which
 a Tamarac 6 in. diam. bears S. 44 E. 30 links dist. 8
 a Do 0 " " " N. 13 W. 14 " "
 45.00 Left Tamarac & Enter Wet Prairie
 73 00 Left Prairie
 80.00 Set a Post Cor. to Secs. 8, 9, 10 & 17. from which
 a W Oak 12 in. diam. bears S 49 E 14 links dist. 8
 an Ash 10 " " " N 15 W 30 " "

T 30 N. R 5 E 2nd Mer. Indiana

East On Random between Sec. 9 & 10.
 80 50 Intersect N & S line 40 links South of the Post.
 Barrens and Marshy Prairie. Timber. Sassafras
 Oak & Hazel.

West Corrected between Sec. 9 & 10.
 40 25 Set a q. Sec. post at aver. dist. from which
 a W. Oak 40 in. diam. bears N 83 W 67 links dist. &
 a Do 15 " " " S 49 E 72 " "
 64.30 A W. Ash 15 " "
 80 50 To Sec. Corner.

North Between Sec. 8 & 9.
 22 37 A Buck 12 in. diam.
 40 00 Set a q. Sec. post from which
 a Sugar 12 in. diam. bears S 21 E 28 links dist. &
 a " Ironwood 12 in. " " N 34 W 23 " "
 60.03 A Maple 20 " "
 80 00 Set a Post Corner to Sec. 4 5. 8 & 9. from which
 a Sugar 18 in. diam. bears S 40 E 28 links dist. &
 a Do 18 " " " N 13 W 30 " "
 Land 2nd rate. Timber. Buck Sugar. Poplar Ash, &c

East On Random between Sec. 4 & 9.
 80.71 Intersect N & S. line at Post
 Land & Timber same as before.

West Corrected between Sec. 4 & 9.
 21.48 An Ash 12 in. diam.
 40.35 Set a q. Sec. post at aver. dist. from which
 a White 8 in. diam. bears S 33 W 30 lks dist. &
 a Do 6 " " " S 61 W 32 " "
 64 28 A W. Oak 28 " "
 80 71 To Sec. Corner.

North Between Sec. 4 & 5.

T30 N. R 5 E 2nd Mer. Indiana

81

- 19.70 Ash 22 in. diam.
 40.00 Set a q^r the post from which
 a Birch 12 in. diam. bears N 55 E 8 links dist. &
 an Elm 12 " " " S 38 W 30 " "
 45.00 Enter the Prairie & Pamarac.
 83.50 Intersect the North Boundary 250 links East of Post.
 Set a Post Corner to Sec. 40 & 5 from which
 a Poplar 15 in. diam. bears S 30 E 11 links dist. &
 a B Oak 18 " " " S 80 W 24 " "
 South 1/2 mile 2nd rate. Timbers July 6th 1864.

North Between Sec. 31 & 32

- 21.75 A W Oak 40 in. diam.
 40.00 Set a q^r the post from which
 a W Oak 18 in. diam. bears N 15 E 34 links dist. &
 a D 33 " " " S 20 W 24 " "
 51.85 A B Oak 30 " "
 80.00 Set a Post Corner to Sec. 29 30 31 & 32 from which
 a Hickory 19 in. diam. bears S 24 W 26 links dist. &
 a B Oak 30 " " " S 73 E 54 " "
 Land good 2nd rate. Inclining somewhat to Barrens

East On Random between Sec. 29 & 32.

- 79.70 Intersect N & S line 200 links South of Post.
 Land good 2nd rate. Timber Oak. inclining to Barrens.

West Corrected between Sec. 29 & 32.

- 22.07 A Hickory 18 in. diam.
 39.85 Set a q^r the post at once dist. from which
 an B Oak 12 in. diam. bears N 83 E 124 links dist. &
 a W Oak 25 " " " N 10 W 100 " "
 55.53 A W Oak 18 " "
 79.70 To the Corner

West On Random between Sec. 31 & 32.

- 55.01 Intersect the West Boundary 170 links North of Post.

T 31. N. R. 5. E 2nd Mer. Indiana.Good 2nd Mer. Timbered Land.

East Corrected between Sec. 30 & 31.
 Bearings for the Corner of Sec. 30 & 31.
 An Ironwood 8 in. diam. bears S. 35 E 13 links dist. &
 a Do 11 " " " S. 88 E 58 " "
 15.75 An Br. Oak 32 in. diam.
 25.00 Set a q. Sec. post from which
 a Beech 22 in. diam. bears S. 36 E 19 links dist. &
 an Br. Oak 18 " " " N 29 E 11 " "
 40.37 A W Oak 40 " "
 65.00 To Sec. Corner.

North Between Sec. 29 & 30
 19.71 A W Oak 22 in. diam.
 40.00 Set a q. Sec. post from which
 a W Oak 18 in. diam. bears N. 71 E 22 links dist. &
 a Do 16 " " " N. 1 W 20 " "
 59.23 A Hickory 20 " "
 80.00 Set a Post Corner to Sec. 19, 20, 29, & 30 from which a
 Beech 16 in. diam. bears N. 28 E 25 links dist. & a
 W Oak 20 " " " S 50 W 37 " "
 Description of Land omitted.

East On Random between Sec. 20 & 29.
 24.44 To a Lake Course N. W. & S. E.
 50.88 Commence line on opposite side of Lake.
 51.13 Intersect the N & S line 87 links North of the Post.
 Land broken with Strips of Tamarac & Wet Prairie

West Corrected between Sec. 20 & 29. July 6th 1834.
 40 50¹/₂ Set a q. Sec. Corner at aver. dist. in Lake
 1031¹/₂ links from E shore,
 51.13 To Sec. Corner.

West Between Sec. 19 & 30. on Random

T 30 N R 5 E. 2nd Mer. Indiana

83

03.75 Intersect the West Boundary 1.78 links North of the Post. Land 2nd rate. Timber. Oak & Hickory.

East Corrected between Sec. 19 & 20.
Bearings from Corner of Sec. 19 & 20.
A W. Oak 12 in. diam. bears S. 56 E. 40 links dist. &
a Dr 16 " " " N 86 E 22 " "

14.10 A Buck 15 " "

23.75 Set a q. the post. from which
a Hickory 16 in. diam. bears S 25 E. 15 links dist. &
a W. Oak 16 " " " N 61 W 31 " "

51.25 A W Oak 45 " "

03.75 to the Corner,

North Between Sec. 19 & 20.

5.00 Enter Tamarac Swamp.

33.00 Left same

40.00 Set a q. the post. from which
a W. Oak 20 in. diam. bears S. 40 W. 58 links dist. &
a Hickory 16 " " " N 73 E 52 " "

45.00 Enter Tamarac Swamp

81.00 Set a Post Corner to Sec. 17 18 19 & 20. from which
a Tamarac 6 in. diam. S. 84 W 16 links dist. &
a Dr 6 " " bears S 43 E 13 " "

East On Random between Sec. 17 & 20.

40.00 Set a q. the post from which
a Tamarac 7 in. diam. bears S. 50 W. 10 links dist. &
a Dr 6 " " " N 22 E. 5 " "
The East 1/4 mile could not be measured.

West On Random between Sec. 18 & 19

3.00 Left Tamarac

02.50 Intersect the West Boundary 1.50 links North of the Post.
East 1/4 mile Prairie & Barrens West 1/4 Timber.

T 30 N. R 5 E 2nd Mer. Indiana.

East Corrected between Sec. 18 119.

Bearings from Corner of Sec. 18 119.

a Sassafras 8 in. diam. bears S 70 E. 15 links dist. &

an Ash 18 " " " N 19 E. 41 " "

18.21 A Buck 24 " "

22.56 Set a g. the post from which

a W. Oak 18 in. diam. bears N 80 E. 12 links dist. &

a Do 15 " " S. 21 W. 12 " "

32.50 To the Corner.

North Between Sec. 17 118,

5. 11 Set Tamarac

13. 37 A W. Oak 20 in. diam.

40 17 Set a g. the post at aver. dist. from which

a Sugar 24 in. diam. bears N 4 W. 7 links dist. &

an W. Oak 30 " " S 89 W. 27 " "

57. 00 A Lynn 14 " "

53. 25 A Brook 12 in. diam.

60. 00 Set a post Corner to Sec. 7. 8 17 118. from which a

a Poplar 30 in. diam. bears N. 50 E 9 links dist. &

an Ironwood 12 in. " " S 25 W. 10 " "

Land Poor. inclining to West Haze.

East On Random between Sec. 8 117.

50 70 Intersect the N & S line 24 links North of the Post.
Poor Land.

West Corrected between Sec. 8 117

22. 21 An R. Oak 20 in. diam.

40. 35 Set a g. the post at aver. dist. from which

a Tamarac 6 in. diam. bears S 85 W. 5. 70 links dist. &

a Do 6 " " N. 88 W. 65 " "

This Post in Wet Prairie,

65. 20 A Hickory 15 in. diam.

50 70 To the Corner.

T. R. P. 5. 6 2nd Mer. Indiana.

85

West On Random between Sec. 7 & 8.
 20.25 A Brook 9 links wide Course S.W.
 03.77 Intersect the West Boundary 1.61 links North of Post.
 Land good 2nd rate. Timbered. Underg^t. Ironwood.
 Water Beech. Sugar. Beech &c.

East Corrected between Sec. 7 & 8.
 Bearings from Corner of Sec. 7 & 8.
 a Beech 18 in. diam. bears S. 33 E 16 links dist. &
 a Poplar 20 " " " N 21 E 27 " "
 23 77 Set a 2^d Sec. post. from which
 a Beech 20 in. diam. bears N. 68 W. 22 links dist. &
 a Do 20 " " " S. 41 E. 24 " "
 43 77 An Ash 30 " " "
 03 77 To the Corner.

North Between Sec. 7 & 8.
 40 00 Set a Post. Corner to Sec. 7 from which
 an Elm 6 in. diam. bears S. 29 W. 20 links dist. &
 a Do 10 " " " N 6 E 25 " "
 34.80 A Walnut 24 in. diam.
 80.11 Set a Post. Corner to Sec. 5, 6, 7 & 8. from which
 a Walnut 32 in. diam. bears N 57 E 33 links dist. &
 a W Oak 18 " " " S 58 W 12 " "
 Poor wet Swampy Land.

East On Random between Sec. 5 & 8.
 80 75 Intersect N & S line 105 links North of the Post.
 Land Poor Willow Swamp.

West Corrected between Sec. 5 & 8.
 20 70 A W Oak 14 in. diam.
 110 37 1/2 Set a 2^d Sec. post. at aver. dist. from which
 an Elm 10 in. diam. bears N 68 W 35 links dist. &
 an Ash 8 " " " S 30 E 7 " "
 82.95 A Sugar 31 " " "

Twp N. R. 5. E. 9th Mer. Indiana

56 75 To the Corner

West On Plandom between Secs 5 & 7.
 04. 91 Intersect the West Boundary 50 links North of Post.
 Land level and inclining to West
 Timber & Undergrowth as before.

East Corrected between Secs 6 & 7.
 Bearings from the Corner of Sec. 6 & 7.
 an Hb Oak 22 in. diam. bears N 24 E. 4 links dist. &
 a Buck 15 " " " S 26 E. 7 " "
 15. 20 An Hb Oak 15 in. diam.
 24. 91 Set a q^r the post. from which
 an Ironwood 10 in. diam. bears N 70 E. 8 links dist. &
 a Do. 8 " " " S 70 W. 6 " "
 47 91 An Ash 25 " "
 64 91 To the Corner.

North Between Secs 5 & 6
 19. 80 A W Oak 30 in. diam.
 40. 00 Set a q^r the post from which
 an Ash 24 in. diam. bears S 42 W 24 links dist. &
 a Do 20 " " " N 30 E 16 " "
 54. 90 A Buck 14 " "
 83. 50 Intersect the North Boundary 2.85 links East of
 the Corner. — Set a Post Corner to Secs 5 & 6
 from which
 an Ironwood 8 in. diam. bears S 66 E 9 links dist. &
 a Do 7 " " " S 40 W 9 " "
 Good 2nd rate Land.
 July 7th 1834.

This Township contains every variety of soil
 It has considerable Barrens some of which are
 beautiful, but generally rather thin.
 There is one or more of the most extensive Tamarac

T 30 N. R 5 E 2nd Mer Indiana

87

Swamps I see saw. Mostly in Sec. 16, 17, 20 & 21, & 25,
Surveyed by
John Hendrix D. G.

(For Meanders - see next page)

I hereby Certify that in pursuance of a Contract with
Michael J. Williams, Surveyor General of the
United States for the States of Ohio Indiana, & the
Territory of Michigan. bearing date the 27th day of
December 1833. and in strict conformity to the
laws of the United States and the instructions of
the said Surveyor General, I have surveyed & sub-
divided into Sections Town 30 North of Range No 5
East of the 2nd Mer. Indiana. and I do further
Certify that the foregoing are the true and original
(mainly) of the Field Notes of the said survey and
subdivisions, executed as aforesaid.

Certified this 6th day of July 1834.

John Hendrix.
Dep^y. Surveyor.

William Cash }
William Pollen. } Chainmen.
Abram Hendrix. Marker.

T 30 N. R 5 E 2nd Mer. Indiana.

I Certify that the foregoing Transcript of the
Field Notes of Township No 30 North of Range No 5
East. of the 2nd Mer. Indiana has been compared
with the original Notes in this Office and
found to be Correct.

Surveyor General's Office.

Cincinnati Jan^y 14th 1843.

William Johnston
S^r. Genl.

Meanders of Lakes

(Omitted in proper place.)

Meanders of a Lake in Sec. 21

Commencing at the quarter Section corner on
the line between Sec^s 21 & 22 - thence S 80° W
5 ch^s to the lake; thence along lake shore:-

N 25° W	4.00	
N 59° W	12.50	Enter Tamarack Swamp
West	5.00	
S 26° W	13.00	
S 34° E	3.00	
S 20° E	19.00	
S 83° E	3.00	
N 54° E	2.00	
N 72° E	3.00	
N 26° E	7.00	Leave Tamarack Swamp
N 13° E	15.36	To place of beginning
Friday Nov. 14. 1834		

89

T. 30 N. R. 5 E. 2nd Mer. (Ind.?)

Course,		Meanders of a Lake in Sec. 16 & 21
		Beginning at the post on line between Sec. 16 & 21, West side of lake; thence: -
S 11° E	25.50	} wet prairie In Sec. 21 High W. Oak bank - poor soil
N 86 E	24.00	
N 21 E	13.50	
N 73 E	4.00	
N 56 E	5.50	
N 14 E	8.35	To line between Sec. 16 & 21 - E. side
N 10 W	4.50	} Tamarack Swamp In Sec. 16
N 54 W	9.50	
S 82 W	5.00	
S 42 W	4.50	
N 77 W	9.00	
N 60 W	9.00	} high, poor oak bank Enter dismal Tamarack Swamp
N 21 W	8.00	
N 74 W	5.00	
N 43 W	4.00	
N 68 W	3.00	
N 64 W	5.00	at 2.50 outlet 50 lks. wide, N.W.
N 17 W	3.50	} Leave Tamarack Swamp
South	17.50	
S 18 E	5.50	
East	6.00	To the place of beginning

		Meanders of a Lake in Sec. 20 & 29
		Beginning at the post on the line between Sec. 20 & 29 - East side of lake - thence:
N 45 W	8.00	} In Sec. 20
N 73 W	12.50	
N 15 W	6.00	
N 77 W	14.00	
S 69 W	5.00	
South	5.50	
S 45 E	12.00	
S 55 E	5.61	
		To line between Sec. 20 & 29 - W. side

T. 30 N. R. 5 E. 2nd Mer. (Inda)

Courses	ch.	Lk.	
S 59 W	1.00		
West	9.50		
S 24 W	4.50		In Sec. 29
S 29 E	8.50		a neck of wet prairie
S 64 E	5.00		
East	10.00		Poor W. Oak land
S 54 E	8.00		
N 55 E	6.00		
S 61 E	11.00		a strip of wet prairie
N 42 E	5.50		
N 24 W	9.00		
N 6 W	6.00		
N 49 W	4.28		To place of beginning
Nov. 15. 1834			

Meanders of a Lake in Sec. 28 & 29 -
Beginning at post on the line between
Sec. 28 & 29 - North side of lake - thence,

N 86 E	8.00		
S 70 E	6.00		Poor W. Oak land
S 2 E	8.00		Marshy prairie In Sec.
S 59 W	17.00		To line between Sec. 28 & 29 - S. side of lake
N 73 W	4.00		
N 27 W	10.00		Marshy prairie
N 12 E	10.00		In Sec. 29
N 82 E	1.50		
S 72 E	5.40		To place of beginning

Meanders of Lake in Sec. 3
Beginning at the quarter Sec. post on the line
between Sec. 2 & 3, thence N 71 W. 12.00 to lake

N 46 W	11.00	
N 31 W	10.00	
N 62 W	24.50	Outlet 10 Lk. - N.W.
S 22 W	8.00	
S 22 E	14.00	

T. 30 N. R. 5 E. 2nd Mer. (Ind. a.)

Cours	ch. Sh.	
S 47 E	21.50	
East	7.50	
N 63 E	6.00	
N 37 E	6.01	To the place of beginning

Meanders of Lake in Sec. 4
Beginning at post on Township line between
T. 30 & 31, R. 5 E. west side of lake thence

S 33 W	8.00	
S 3 E	11.00	
S 23 E	11.00	
S 72 E	11.00	In Sec. 4
East	10.50	
N 52 W	13.75	
N 13 W	15.00	at 9.50 outlet 15 chs. - N. E.
N 52 W	6.24	To Meander post on Town line, E. side of lake

Meanders of a Lake in Sec. 1
Beginning at post on Range line, South side
of lake - thence,

N 51 W	9.00	at 200 outlet 100 chs. S. W.
N 12 E	6.00	
N 72 E	6.17	To post on Range, North side of lake.

Surveyed by
John Hendricks S.S.